

:: Air Tools ::

- *Air Die Grinder*
- *Air Drill*
- *Air Ratchet Wrench*
- *Air Shear*
- *Air Body Saw*
- *Air Hammer*
- *Air Impact Screwdriver*
- *Air Sander*
- *Air Cut Off Tools*



► Air Tools (Mini Die Grinder)

- Lightweight aluminum body
- Safety lever prevents accidental starts
- Rear exhaust. It can be used with all types of accessories for porting, weld breaking, and smoothing sharp dges, as well as deburring, polishing, and grinding

VP-17314



VP-17313



Air Tools (Mini Die Grinder)

Model	Grinder Cup	Free Speed	Air Inlet	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-17313	1.4"	20000 r.p.m	1.4"	3 cfm (86 L/min)	3.8"	1.5 HP
VP-17314	1.4"	20000 r.p.m	1.4"	4 cfm (114 L/min)	3.8"	1.5 HP

► Air Tools (Mini Die Grinder)

- Lightweight aluminum body
- Safety lever prevents accidental starts
- Rear exhaust. It can be used with all types of accessories for porting, weld breaking, and smoothing sharp dges, as well as deburring, polishing, and grinding

VP-7305



VP-7306



VP-7313



VP-7314



Air Tools (Mini Die Grinder)

Model	Grinder Cup	Free Speed	Air Inlet	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-7313	1.4"	25000 r.p.m	1.4"	3 cfm (86 L/min)	3.8"	1.5 HP
VP-7314	1.4"	22000 r.p.m	1.4"	4.5 cfm (128.3 L/min)	3.8"	1.5 HP
VP-7305	1.4"	25000 r.p.m	1.4"	3.3 cfm (94 L/min)	3.8"	1.5 HP
VP-7306	1.4"	22000 r.p.m	1.4"	3.3 cfm (94 L/min)	3.8"	1.5 HP

► Air Tools (Air Die Grinder)

- Lightweight aluminum body
- Safety lever prevents accidental starts
- Rear exhaust. It can be used with all types of accessories for porting, weld breaking, and smoothing sharp edges, as well as deburring, polishing, and grinding

VP-27313



VP-27315



Air Tools (Air Die Grinder)

Model	Grinder Cup	Free Speed	Air Inlet	Avg. Air Consumption	Air Hose	Working Pressure
VP-27313	1.4"	25000 r.p.m	1.4"	3 cfm (85.5 L/min)	3.8"	0.63 MPA
VP-27315	1.4"	20000 r.p.m	1.4"	3 cfm (85.5 L/min)	3.8"	0.36 MPA

► Air Tools (Air Die Grinder)

- Lightweight aluminum body
- Safety lever prevents accidental starts
- Rear exhaust. It can be used with all types of accessories for porting, weld breaking, and smoothing sharp dges, as well as deburring, polishing, and grinding



VP-7318



Air Tools (Air Die Grinder)

Model	Grinder Cup	Free Speed	Air Inlet	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-7318	1.8"	54000 r.p.m	1.4"	2 cfm (57 L/min)	3.8"	1 HP
VP-7315	1.4"	20000 r.p.m	1.4"	2.2 cfm (62.7 L/min)	3.8"	1.5 HP
VP-17315	1.4"	20000 r.p.m	1.4"	2.2 cfm (62 L/min)	1.4"	1.5 HP

► Air Tools (Air Drill)

- Top choice for service works require a compact, low profile application
- Variable speed throttle for easy starts
- Rear exhaust directs air away from workpiece
- Convenient one hand push button forward/Reverse
- Quiet operation with rear exhaust



VP-7104



VP-7103



VP-17101



VP-17107



VP-17109



VP-17110

Air Tools (Air Drill)

Model	Grinder Cup	Free Speed	Air Inlet	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-7103	3.8"	800 r.p.m	1.4"	4 cfm (114 L/min)	3.8"	2 HP
VP-7104	1.2"	550 r.p.m	1.4"	4 cfm (114 L/min)	3.8"	2 HP
VP-17101		1800 r.p.m	1.4"	3.7 cfm (104 L/min)	3.8"	2 HP
VP-17107		700 r.p.m	1.4"	4 cfm (114 L/min)	3.8"	2 HP
VP-17110		1800 r.p.m	1.4"	4 cfm (114 L/min)	3.8"	2 HP
VP-17109		700 r.p.m	1.4"	4 cfm (114 L/min)	3.8"	2 HP

► Air Tools (Air Drill)

- Top choice for service works require a compact, low profile application
- Variable speed throttle for easy starts
- Rear exhaust directs air away from workpiece
- Convenient one hand push button forward/Reverse
- Quiet operation with rear exhaust



VP-7108



VP-7107



VP-7102



VP-7101



VP-7110

Air Tools (Air Drill)

Model	Air Inlet	Free Speed	Overall Length	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-7101	1.4"	1800 r.p.m	7"	3.7 cfm (106 L/min)	3.8"	2 HP
VP-7110	1.4"	1800 r.p.m	7"	4 cfm (114 L/min)	3.8"	2 HP
VP-7108	1.4"	550 r.p.m	8.2"	4 cfm (114 L/min)	3.8"	2 HP
VP-7107	1.4"	550 r.p.m	8.2"	4 cfm (114 L/min)	3.8"	2 HP
VP-7102	1.4"	1800 r.p.m	7"	3.7 cfm (106 L/min)	3.8"	2 HP

► Air Tools (Air Drill)

- Top choice for service works require a compact, low profile application
- Variable speed throttle for easy starts
- Rear exhaust directs air away from workpiece
- Convenient one hand push button forward/Reverse
- Quiet operation with rear exhaust



Air Tools (Air Drill)

Model	Air Inlet	Free Speed	Overall Length	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-17111	1.4"	2600 r.p.m	8.8"	4 cfm (115 L/min)	3.8"	2 HP
VP-17112	1.4"	1800 r.p.m	8.1"	4.5 cfm (129 L/min)	3.8"	2 HP
VP-7111	1.4"	2600 r.p.m	8.8"	4 cfm (115 L/min)	3.8"	2 HP
VP-7112	1.4"	1800 r.p.m	8.1"	4.5 cfm (129 L/min)	3.8"	2 HP
VP-7113	1.4"	2600 r.p.m	9"	4 cfm (115 L/min)	3.8"	2 HP
VP-7115	1.4"	1500 r.p.m	8.6"	2.3 cfm (66 L/min)	3.8"	2 HP

► Air Tools (Air Ratchet Wrench)

- Designed with high technology and manufactured in precision
- High quality, more power and longer life
- Ball socket retainer provides fast and easy socket replacement



Air Tools (Air Ratchet Wrench)

Model	Air Inlet	Free Speed	Square Drive	Overall Length	Avg. Air Consumption	Air Hose	Sug. Air Comp	Capacity Bolt Size	Working Torque
VP-17411	1.4"	160 r.p.m	3.8"	10.8"	3 cfm (85.5 L/min)	3.8"	1 HP	1.2"(13mm)	68N.m
VP-17412	1.4"	160 r.p.m	1.2"	10"	2.7 cfm (77 L/min)	3.8"	1 HP	1.2"(13mm)	68N.m
VP-7414	1.4"	230 r.p.m	1.4"	7.8"	2.7 cfm (77 L/min)	3.8"	1 HP	5/16"(8mm)	41N.m
VP-7438	1.4"	160 r.p.m	3.8"	10"	4 cfm (114 L/min)	3.8"	1 HP	3/8"(10mm)	68N.m
VP-7415	1.4"	240 r.p.m	1.4"	7.8"	3 cfm (85 L/min)	3.8"	1 HP	5/16"(8mm)	24.4N.m
VP-27411	1.4"	160 r.p.m	1.4"		4 cfm (114 L/min)	3.8"	1 HP		68N.m
VP-7408	1.4"	160 r.p.m	3.8"	10"	3 cfm (85.5 L/min)	3.8"	1 HP	1.2"(13mm)	68N.m
VP-7413	1.4"	240 r.p.m	3.8"	6.8"	2.6 cfm (71 L/min)	3.8"	1 HP	3/8"(10mm)	35.2N.m

► Air Tools (Air Shear)

- Heavy-duty shear head provides long life and reliable cutting
- Ergonomic grip for comfort and stability
- Rear exhaust
- Best used for shear most types of plastics and all types of aluminum, tin and steel



Air Tools (Air Shear)

Model	Air Inlet	Free Speed	Max Material Thickness	Avg. Air Consumption	Air Hose	Operating Pressure
VP-17610	1.4"	1800 r.p.m	1.4 mm	4 cfm (114 L/min)	3.8"	0.63Mpa
VP-17652	1.4"	4500 r.p.m	1.4 mm	4 cfm (114 L/min)	3.8"	0.63Mpa
VP-7610	1.4"	5500 r.p.m	20Gauge	4 cfm (114 L/min)	3.8"	

► Air Tools (Air Body Saw)

- This tool is designed to cut up to 1/16" steel or 1/2" Plywood
- Tool comes with a safety trigger to prevent accidental starts
- Spring blade guard also acts as a tools slide
- Cuts all types of aluminum, plastic, fiberglass and metal

VP-7602**VP-7601****Air Tools (Air Body Saw)**

Model	Air Inlet	Strokes Per Minutes	N.w	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-7601	1.4"	5000 cpm	0.65 Kg	2 cfm (57 L/min)	3.8"	2 HP
VP-7602	1.4"	10000 cpm	0.72 Kg	4 cfm (114 L/min)	3.8"	2 HP

► Air Tools (Air Hammer)

- Heat-treated impact parts for durability
- Alloy steel barrel & heat-treated piston, coil spring retainer
- Ergonomic grip for comfort and stability
- Standard quick-change spring for speed and ease of chisel change



Air Tools (Air Hammer)

Model	Air Inlet	Free Speed	Overall Length	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-27621	1.4"	4500 r.p.m	155 mm	2.8 cfm (79.8 L/min)	3.8"	2 HP
VP-76241H	1.4"	4500 r.p.m		2.8 cfm (79.2 L/min)	3.8"	2 HP
VP-7625R	1.4"	4500 r.p.m		2.3 cfm (65.1 L/min)	3.8"	2 HP

► Air Tools (Air Impact Screwdriver)

- Durable aluminum housing
- High torque removes tight screws easily
- Suitable for screws 3.0mm max
- Rear exhaust

VP-7221



VP-7223



VP-7220



Air Tools (Air Impact Screwdriver)

Model	Air Inlet	Free Speed	Overall Length	Avg. Air Consumption	Air Hose	Max Torque
VP-7221	1.4"	8000 r.p.m	5.4"	4 cfm (114 L/min)	3.8"	195 N.m
VP-7223	1.4"	8500 r.p.m	7.8"	4 cfm (114 L/min)	1.4"	27 N.m
VP-7220	1.4"	400 r.p.m	2.5"	4 cfm (114 L/min)	3.8"	108 N.m

► Air Tools (Air Sander)

- Composite plastic body, light weight
- Constructed with heat treated steel components for long life
- Rear exhaust
- 6" Sanding pad available

VP-7312



VP-7310



VP-17330



VP-7311



VP-27330



Air Tools (Air Sander)

Model	Air Inlet	Free Speed	Sanding Pad	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-17330	1.4"	20000 r.p.m	5"	4 cfm (114 L/min)	3.8"	2 HP
VP-7310	1.4"	10000 r.p.m	5"	2.8 cfm (79.2 L/min)	3.8"	2 HP
VP-7311	1.4"	10000 r.p.m	5"	2.8 cfm (79.2 L/min)	3.8"	2 HP
VP-73121	1.4"	10000 r.p.m	5"	2.8 cfm (79.2 L/min)	3.8"	2 HP
VP-27330	1.4"	10000 r.p.m	5"	4.5 cfm (128 L/min)	3.8"	2 HP

► Air Tools (Air Sander)

- Composite plastic body, light weight
- Constructed with heat treated steel components for long life
- Rear exhaust
- 6" Sanding pad available



Air Tools (Air Sander)

Model	Air Inlet	Free Speed	Sanding Pad	Avg. Air Consumption	Air Hose	Sug. Air Comp.
VP-7319	1.4"	10000 r.p.m	4"	5 cfm (140 L/min)	3.8"	2 HP
VP-7320	1.4"	10000 r.p.m	4"	5 cfm (140 L/min)	3.8"	2 HP
VP-7326	1.4"	10000 r.p.m	5"	5 cfm (140 L/min)	3.8"	2 HP
VP-7327	7"	7500 r.p.m	3.8"		1.2"	5 HP

► Air Tools (Air Sander)

- Composite plastic body, light weight
- Constructed with heat treated steel components for long life
- Rear exhaust
- 6" Sanding pad available



Air Tools (Air Sander)

Model	Air Inlet	Free Speed	Sanding Pad	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-7324	1.4"	8000 r.p.m	5-7.8"	6 cfm (170 L/min)	3.8"	2 HP
VP-17316	1.4"	10000 r.p.m		5 cfm	3.8"	2 HP
VP-7325	1.4"	20000 r.p.m	7"	6 cfm (170 L/min)	3.8"	2 HP
VP-7316	1.4"	10000 r.p.m	6"	3.3 cfm (92.4 L/min)	3.8"	2 HP
VP-7331	1.4"	25000 r.p.m	5"	18 cfm	3.8"	2 HP
VP-7317	1.4"	18000 r.p.m	5"	4 cfm (113.3 L/min)	3.8"	2 HP

► Air Tools (Air 3" Cut Off Tools)

- Specially designed long neck with chrome metal guard will handle up to 3" discs
- A chrome plated safety guard and a safety latch to protect against injury
- Safety Lock mechanism prevents accidental start-ups
- This tool can cut aluminum, plastic, fiber-glass and steel in any project

VP-7620



VP-27620



VP-17620

Air Tools (Air 3" Cut Off Tools)

Model	Air Inlet	Free Speed	W.N	Avg. Air Consumption	Air Hose	Sug. Air Comp
VP-17620	1.4"	1800 r.p.m	0.67 Kg	4 cfm (114 L/min)	3.8"	2 HP
VP-27620	1.4"	18000 r.p.m	0.73 Kg	4.5 cfm (128 L/min)	3.8"	2 HP
VP-7620	1.4"	18000 r.p.m		4 cfm (114 L/min)	3.8"	2 HP